

## CAT CHOW GENTLE SENSITIVE STOMACH + SKIN CAT FOOD

### GUARANTEED ANALYSIS:

Crude Protein (Min)	34.0%
Crude Fat (Min)	11.0%
Crude Fiber (Max)	5.0%
Moisture (Max)	12.0%
Linoleic Acid (Min)	1.2%

**INGREDIENTS:** Poultry by-product meal, corn protein meal, soybean meal, rice, ground yellow corn, whole grain wheat, animal fat preserved with mixed-tocopherols, liver flavor, turkey, dried chicory root, phosphoric acid, salt, natural flavor, choline chloride, calcium carbonate, **MINERALS** [zinc sulfate, ferrous sulfate, manganese sulfate, copper sulfate, calcium iodate, sodium selenite], taurine, **VITAMINS** [Vitamin E supplement, niacin (Vitamin B-3), Vitamin A supplement, calcium pantothenate (Vitamin B-5), thiamine mononitrate (Vitamin B-1), riboflavin supplement (Vitamin B-2), Vitamin B-12 supplement, pyridoxine hydrochloride (Vitamin B-6), folic acid (Vitamin B-9), Vitamin D-3 supplement, biotin (Vitamin B-7), menadione sodium bisulfite complex (Vitamin K)], potassium chloride. G450423

**Manufactured by: Nestlé Purina PetCare Company, St. Louis, MO 63164 USA**

Animal feeding tests using AAFCO procedures substantiate that Cat Chow Gentle Sensitive Stomach + Skin provides complete and balanced nutrition for maintenance of adult cats.

### RECOMMENDED DAILY FEEDING AMOUNTS

Using a standard 8 oz measuring cup.

Weight (lbs)	Feeding Amount (cups)
5 - 9	1/3 to 2/3
10 - 14	2/3 to 3/4

These amounts are averages and your cat's needs may differ. Feeding amounts should be adjusted as necessary to help your cat maintain an ideal body condition.

### FEEDING TIP

Changes in your pet's diet should be made gradually to allow your pet to become accustomed to a new food. Substitute small amounts of the new food for the old food, gradually increasing the amount of the new food while decreasing the old food, over a period of 7 - 10 days. This gradual transition will help avoid dietary upsets.

### Feeding Your Cat's Sensitive System:

For cats with sensitive digestive systems, these simple feeding techniques may be helpful in minimizing dietary upset.

- Promote slower eating. Rather than pouring food into a bowl, try spreading it out on a baking sheet or 9" x 13" pan.
- Avoid overeating. Feed three to four small meals per day rather than one larger one as this keeps your cat from eating too much at one time.

- Feed a uniform diet. Provide a single, complete and balanced cat formula for multiple weeks. A steady diet may help ease your cat's sensitive system.
- Create a calm environment. Identify and address factors that could cause distress to your cat, such as frequent loud noises or confrontations with other pets.

As always, if dietary upset is associated with other signs of illness, please contact your veterinarian.

Provide adequate fresh water in a clean bowl daily.

For your pet's health, see your veterinarian regularly.

Calorie Content (fed)(ME):

3603 kcal/kg

402 kcal/cup